

Professional Testing Laboratory, Inc.
Price List 2011

TEST	PRICE
16 CFR part 1630 Surface Flammability of Carpets & Rugs (FF 1-70) Pill Test	\$ 35.00
16 CFR part 1631 Flammability of Mattresses & Mattress Pads	Call For Quote
30 CFR part 18.65 Flammability of Conveyor Belting & Hose	Call For Quote
3M Oil and Water Resistance	\$ 30.00
3M Oil Water Resistance	\$ 30.00
3M Stain release	\$ 25.00
49 CFR 573.30	\$ 60.00
Aachen	\$ 75.00
Aachen w/Edge Curl	\$ 120.00
AATCC 100-2004 Additional Sample	\$ 225.00
AATCC 100-2004 Antibacterial Finishes on Textile Materials	\$ 325.00
AATCC 104-1994 Colorfastness to Water Spotting	\$ 15.00
AATCC 106-2009 Colorfastness to Sea Water	\$ 25.00
AATCC 107-2009 Colorfastness to Water	\$ 25.00
AATCC 117-2009 Colorfastness to Heat	\$ 35.00
AATCC 118-2007 Oil Repellency	\$ 45.00
AATCC 127 Water Resistance Hydrostatic Pressure	\$ 75.00
AATCC 129-2005 Colorfastness to Ozone	\$15/cycle
AATCC 134-2006 Electrostatic Propensity (Step & Scuff)	\$ 75.00
AATCC 134-2006 Electrostatic Propensity (Step Test)	\$ 75.00
AATCC 134-2006 Electrostatic Propensity (w/wash)	\$ 125.00
AATCC 137-2007 Rug Back Staining on Vinyl Tile	\$ 30.00
AATCC 138-2005 Shampooing	\$ 30.00
AATCC 147-2004 (additional samples)	\$ 130.00
AATCC 147-2004 Antibacterial Activity Assessment of Textile Materials: Parallel Streak Method	\$ 230.00
AATCC 16-2004 Colorfastness to Light	\$.25/AFU
AATCC 164-2006 Additional Cycles	\$20/cycle
AATCC 164-2006 Colorfastness to NO2 (1-2 cycles)	\$ 40.00
AATCC 165-2008 Colorfastness to Crocking	\$ 12.00
AATCC 171-2005 Hot Water Extraction	\$ 35.00
AATCC 174-2007 Part I Qualitative Assessment of Antibacterial Activity on Carpets: Single Streak Method	\$ 220.00
AATCC 174-2007 Part I Qualitative Assessment of Antibacterial Activity on Carpets: Single Streak Method (Additional Sample)	\$ 140.00
AATCC 174-2007 Part II Quantitative Assessment of Antibacterial Activity on Carpets	\$ 425.00
AATCC 174-2007 Part II Quantitative Assessment of Antibacterial Activity on Carpets (Additional Sample)	\$ 220.00
AATCC 174-2007 Part III Antifungal Activity Assessment of Carpet: Mildew and Rot Resistance	\$ 220.00
AATCC 174-2007 Part III Antifungal Activity Assessment of Carpet: Mildew and Rot Resistance (Additional Sample)	\$ 160.00
AATCC 175-2008 Stain Resistance	\$ 25.00
AATCC 175-2008 Stain Resistance w/Taber Abrasion (GSA)	\$ 40.00
AATCC 188 Bleach Home Laundering (15 Cycles)	\$ 400.00
AATCC 20A Fiber Identification: Chemical	\$ 30.00
AATCC 20A Fiber Identification: Melt Point	\$ 30.00
AATCC 20A-2008 - Blend Determination	\$ 40.00
AATCC 23-2005 Colorfastness to Burnt Gas Fumes	\$15/cycle
AATCC 30-2004 Antifungal Activity, Assessment on Textile Materials	\$ 185.00
AATCC 35 Rain Impact Resistance	Call For Quote
AATCC 61-2009 Colorfastness to Laundering	\$ 75.00
AATCC 6-2006 Colorfastness to Acids and Alkali	\$ 25.00
AATCC 76-2005 Electrical Surface Resistivity	\$ 75.00

AATCC 8-2007 Color Crocking	\$ 12.00
Absorbency By Volume	\$ 50.00
Accelerated Soiling w/Spectrophotometer Ratings	\$ 125.00
Aging:oven	\$ 15.00
ANSI A118.10	\$ 100.00
ANSI/HPVA EF 4.2 Bond Line Test	\$ 100.00
Anti-Microbial Washing GSA	\$ 75.00
ASME A17.1a, Rule 204.2a	Call For Quote
ASTM C1028-07e1 Coefficient of Friction	\$ 75.00
ASTM C1028-07e1 Static Coefficient of Friction (Wet & Dry)	\$ 120.00
ASTM C1104M-06 Water Vapor Sorption	Call For Quote
ASTM C1166-06 Flame Propagation of Gaskets	\$ 200.00
ASTM C518-04 Thermal Resistance	\$ 440.00
ASTM C542 -05 Specification for Lock-Strip Gaskets	Call For Quote
ASTM D1004-09 Tearing Strength	\$ 40.00
ASTM D1037-06a Water Absorption and Swelling of Wood	\$ 75.00
ASTM D1042-06 Linear Dimension	\$ 100.00
ASTM D1149	\$ 300.00
ASTM D1171-99 Method A Ozone	\$ 75.00
ASTM D1335-05 Tuft Bind	\$ 27.50
ASTM D1335-05 Tuft Bind (Wet)	\$ 75.00
ASTM D1423-08 Twist in Yarns (Ply & Single)	\$ 30.00
ASTM D1423-08 Twist in Yarns (Single)	\$ 15.00
ASTM D1577-07 Linear Density of yarn	\$ 35.00
ASTM D1667-05 Compression Force Deflection	\$ 40.00
ASTM D1667-05 Compression Resistance	\$ 20.00
ASTM D1667-05 Compression Set	\$ 30.00
ASTM D1667-05 Density	\$ 20.00
ASTM D1667-05 Moisture Absorbency (Column Method)	\$ 50.00
ASTM D1667-05 Total Weight	\$ 25.00
ASTM D1667-05 Total Thickness	\$ 15.00
ASTM D1667-05 Volume Change	\$ 25.00
ASTM D1682 Breaking Load	\$ 27.50
ASTM D1709 Dart Impact	\$ 100.00
ASTM D1894-08 Static and Kinetic Coefficient of Friction of Sheetting Materials	\$ 100.00
ASTM D1907 Yarn Number by the Skein Method	\$ 25.00
ASTM D1907-07 Yarn Number by the Skein Method	\$ 20.00
ASTM D1922 Tearing Strength	\$ 35.00
ASTM D1929 Determining Ignition Temperature of Plastics	\$ 1,000.00
ASTM D2047-04 James Machine COF (Dry, Leather condition)	\$ 200.00
ASTM D2240-10 Hardness Shore A Durometer	\$ 25.00
ASTM D2256 Tensile Properties of Yarn	\$ 35.00
ASTM D2256-09 Tensile Properties of Yarn	\$ 35.00
ASTM D2257-98 Extractable Matter	\$ 55.00
ASTM D2261-07a Tearing Strength	\$ 35.00
ASTM D2394-06 Ball Drop - Determines plank hardness comparison	\$ 75.00
ASTM D2646 Breaking Load & Elongation-Tensile Strength	\$ 27.50
ASTM D2654 Moisture Content & Regain	\$ 27.50
ASTM D2654 Moisture Content & REGAIN	\$ 25.00
ASTM D2710-09 Specific Gravity	\$ 45.00
ASTM D2793-05 Block Resistance	\$ 35.00

ASTM D2859-06 Surface Flammability	\$ 35.00
ASTM D2863-09 Oxygen Index	Call For Quote
ASTM D297-09 Ash Content	\$ 50.00
ASTM D3023-98 Stains of Factory Applied Coatings	\$ 225.00
ASTM D3121-06 Tack of Pressure-Sensitive Adhesives by Rolling Ball	\$ 25.00
ASTM D3165-07 Properties of Adhesives in Shear by Tension Loading of Single-Lap-Joint Laminated Assemblies	\$ 75.00
ASTM D3167-04 Floating Roller Peel Resistance of Adhesives	\$ 45.00
ASTM D3278-04 Adhesive Flashpoint	\$ 50.00
ASTM D3330-04 Adhesion	\$ 40.00
ASTM D3359-09e1 Finish Adhesion Tape Testing	\$ 50.00
ASTM D3389-05 Abrasion Resistance	\$ 45.00
ASTM D3389-05 Taber Abrasion DHRP (up to 5,000 cycles)	\$ 45.00
ASTM D3459 Cycled Environments on Wood (Modified)	\$ 160.00
ASTM D3511-08 Pilling Resistance	Call For Quote
ASTM D3564 Application of Floor Finish	\$ 100.00
ASTM D3574-08 Compression Force Deflection	\$ 40.00
ASTM D3574-08 Compression Resistance	\$ 30.00
ASTM D3574-08 Compression Set	\$ 30.00
ASTM D3574-08 Delamination	\$ 27.50
ASTM D3574-08 Density	\$ 20.00
ASTM D3574-08 Elongation	\$ 30.00
ASTM D3574-08 Indentation Force Deflection & Support Factor	\$ 50.00
ASTM D3574-08 Resilience	\$ 40.00
ASTM D3574-08 Tensile Strength	\$ 30.00
ASTM D3574-08 Test H Ball Drop Resiliency	\$ 50.00
ASTM D3574-08 Thickness	\$ 15.00
ASTM D3574-08 Weight	\$ 25.00
ASTM D3575-08 Battery of Tests (Suffix W,G,B,T,D,L,S)	\$ 295.00
ASTM D3597-09/D4157-07 Wyzenbeck Abrasion (15,000)	\$ 125.00
ASTM D3652 Thickness	\$ 30.00
ASTM D3654 Holding Power	\$ 75.00
ASTM D3676-04 Compression Resistance	\$ 30.00
ASTM D3676-04 Compression Set	\$ 30.00
ASTM D3676-04 Density	\$ 20.00
ASTM D3676-04 Die C	\$ 30.00
ASTM D3676-04 Elongation	\$ 30.00
ASTM D3676-04 Indentation Force Deflection	\$ 35.00
ASTM D3676-04 Tear Strength	\$ 25.00
ASTM D3676-04 Tensile Strength	\$ 30.00
ASTM D3676-04 Thickness	\$ 15.00
ASTM D3676-07 Weight	\$ 25.00
ASTM D3759 Elongation	\$ 20.00
ASTM D3759 Tensile Strength (Cross Direction)	\$ 20.00
ASTM D3759 Tensile strength (Machine Direction)	\$ 20.00
ASTM D378-08 Rubber Belting Flame Test	Call For Quote
ASTM D3884-09 Abrasion Resistance (10,000 cycles)	\$ 45.00
ASTM D3884-09 Abrasion Resistance 5,000 cycles or less	\$ 35.00
ASTM D3884-09 Abrasion Resistance 5,000 cycles or less w/measurement	\$ 45.00
ASTM D3936-05 Delamination Strength of Secondary Backing	\$ 27.50
ASTM D395B-08 Compression Set	\$ 100.00
ASTM D4031 Option C Bulk Shrinkage of Yarn	\$ 30.00

ASTM D4031 Shrinkage	\$ 55.00
ASTM D4034-92 Seam Slippage	Call For Quote
ASTM D4060-10 Taber Abrasion	\$ 45.00
ASTM D412 Tensile Strength	\$ 50.00
ASTM D412-06 Breaking Load	\$ 40.00
ASTM D412-06 Breaking Load & Elongation w/Modulus	\$ 50.00
Method	\$ 1,100.00
ASTM D4355-06 Deterioration of Geotextiles by Exposure to Light	\$ 900.00
ASTM D4491-09 Water Permeability of Geotextiles	\$ 400.00
ASTM D4533-09 Tearing Strength - Trapezoid Procedure	\$ 35.00
ASTM D4632-08 Breaking Strength and Elongation	\$ 35.00
ASTM D4828-08 Washability of Organic Coatings	\$ 200.00
ASTM D5034-09 Breaking Load	\$ 35.00
ASTM D5035-08 Breaking Force & Elongation	\$ 35.00
ASTM D5040-05 Ash Content	\$ 40.00
ASTM D5104	\$ 35.00
ASTM D5104 Shrinkage of Fibers	\$ 35.00
ASTM D5116 Modified Organic Emissions Testing	\$ 1,100.00
ASTM D5252-05 Hexapod Walker (12,000 cycles)	\$ 100.00
ASTM D5252-05 Hexapod Walker (24,000 cycles)	\$ 200.00
ASTM D5252-05 Hexapod Walker (4,000 cycles)	\$ 75.00
ASTM D5252-05 Hexapod Walker (5,000 cycles)	\$ 85.00
ASTM D5252-05 Hexapod Walker (8,000 cycles)	\$ 85.00
ASTM D5252-05 Hexapod Walker (Additional Ratings)	\$ 10.00
ASTM D543-06 Resistance to Plastics to Chemicals	\$ 400.00
ASTM D5570 Water Resistance	\$ 50.00
ASTM D5587-08 Tearing Strength	\$ 45.00
ASTM D570-05 Water Absorption	\$ 50.00
ASTM D5735-01 Tearing Strength Tongue Procedure	\$ 35.00
ASTM D575 Method A Compression Test	\$ 75.00
ASTM D5793-05 Binding Site Per Unit Area	\$ 10.00
ASTM D5823-05a Tuft Height of Pile Floor covering	\$ 15.00
ASTM D5848-07 Pile Weight (uncoated)	\$ 25.00
ASTM D5848-07 Pile Yarn Weight & Density	\$ 85.00
ASTM D5848-07 Pile Yarn Weight & Density (Unbacked)	\$ 25.00
ASTM D5848-07 Pile Yarn Weight & Density (Vinyl/Urethane)	\$ 100.00
ASTM D5848-07 Pile Yarn Weight & Density (Woven)	\$ 200.00
ASTM D5848-07 Pile Yarn Weight (Vinyl/Urethane)	\$ 85.00
ASTM D5848-07 Pile Yarn Weight-Finished Material Tufted	\$ 70.00
ASTM D6004-04 Determining Adhesive Shear Strength of Carpet Adhesives	\$ 40.00
ASTM D6119-05 Accelerated Floor Trafficking (100,000 cycles)	\$ 1,000.00
ASTM D6119-05 Accelerated Floor Trafficking (20,000 cycles)	\$ 200.00
ASTM D6119-05 Accelerated Floor Trafficking (40,000 cycles)	\$ 400.00
ASTM D6119-05 Accelerated Floor Trafficking (60,000 cycles)	\$ 600.00
ASTM D6119-05 Accelerated Floor Trafficking (80,000 cycles)	\$ 800.00
ASTM D6119-05 Accelerated Floor Trafficking (Additional Ratings)	\$ 10.00
ASTM D624-07 DieC Tear Strength of Conventional Vulcanized Rubber and Thermoplastic Elastomers	\$ 40.00
ASTM D629-08 Minimum Synthetic Fiber by Weight	\$ 35.00
Horizontal Position	\$ 175.00
ASTM D6540-05 Accelerated Soiling of carpet	\$ 100.00
ASTM D6540-05 Accelerated Soiling of carpet with Cleaning per AATCC 171	\$ 125.00

ASTM D6571-01 Compression Resistance	\$ 50.00
ASTM D6859-05 Pile Thickness	\$ 25.00
ASTM D6988-08 Thickness/Gauge	\$ 25.00
ASTM D7241-06 Pile Thickness (Multi-Level)	\$ 50.00
ASTM D737 Air Permeability :	\$ 150.00
ASTM D751-06 Tearing Strength	\$ 35.00
ASTM D792	\$ 25.00
ASTM D792-08 Specific Gravity	\$ 40.00
ASTM D828 Tensile Strength Breaking Load and Elongation	\$ 35.00
ASTM D903-04 Peel Strength of Adhesive Bonds	\$ 50.00
ASTM D903-04 Peel Strength of Adhesive Bonds (Oxygenated aging)	\$ 200.00
ASTM E119-09c Fire Resistance Rating	Call For Quote
ASTM E1333 Chamber Emissions	\$ 200.00
ASTM E136 Behavior at 750°C	Call For Quote
ASTM E162-09 Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source	\$ 475.00
Sound Transmission	\$ 1,050.00
ASTM E2471-05 Seeded-Agar for the Screening Assessment of Antimicrobial Activity In Carpets	\$ 400.00
ASTM E252 Total Thickness	\$ 25.00
ASTM E492-09 Measurement of Impact Sound Transmission	\$ 1,100.00
ASTM E648-10 Critical Radiant Flux	\$ 175.00
ASTM E648-10 Critical Radiant Flux (New York)	\$ 20.00
ASTM E648-10 Critical Radiant Flux (Non-Carpet Specimen)	\$ 200.00
ASTM E648-10 Critical Radiant Flux (Over Pad)	\$ 200.00
ASTM E648-10 Critical Radiant Flux (Single Specimen Burn)	\$ 100.00
ASTM E662-09 Smoke Density (Flaming & Non-Flaming)	\$ 175.00
ASTM E662-09 Smoke Density (Flaming Only)	\$ 100.00
ASTM E84-10 Steiner Tunnel Test	\$ 650.00
Elements	Call For Quote
ASTM E96-05 Water Vapor Transmission (one orientation)	\$ 350.00
ASTM E970-08a Radiant Panel	Call For Quote
ASTM F1015 Relative Abrasiveness	\$ 450.00
ASTM F1037 Visual Rating for in service traffic	\$ 400.00
ASTM F1066 Vinyl Composition Tile Specification	\$ 875.00
ASTM F1265 Impact Resistance for Resilient Floor Tiles	\$ 75.00
ASTM F1265 Resistance to Impact	\$ 100.00
ASTM F1292-09 Impact Attenuation Single Temperature	\$ 275.00
ASTM F1292-09 Impact Attenuation Three Temperature	\$ 750.00
ASTM F1303 Test Summary for Sheet Vinyl with Backing	\$ 1,045.00
ASTM F1304 Deflection of Resilient Floor tile	\$ 75.00
ASTM F1304-01 Deflection of Resilient Floor Tile	\$ 75.00
ASTM F1306 Puncture Resistance	\$ 60.00
ASTM F1344 Specification for Rubber Tile	\$ 1,220.00
ASTM F137-08 Flexibility of Resilient Flooring	\$ 95.00
ASTM F142 Indentation of Resilient Floor Coverings	\$ 100.00
ASTM F142/FTM 501A Indentation Resistance	\$ 75.00
ASTM F150/ IBM/Burroughs/ NFPA 99	\$ 120.00
ASTM F1514-08 Measuring Heat Stability of Resilient Flooring by Color Change	\$ 150.00
ASTM F1515-07 Light Stability 100,200,300,400 AFU	\$ 350.00
ASTM F1551-09 Water Permeability of Synthetic Tuft Systems and Permeable Bases, DIN 18-035	\$ 150.00
ASTM F1700 Solid Vinyl Tile	\$ 1,145.00
ASTM F1859 Specification for Rubber Sheet without backing	\$ 935.00

ASTM F1860 Specification for Rubber Sheet with backing	\$ 935.00
ASTM F1861 Specification for Wall base	\$ 1,050.00
ASTM F1861 Wall Base Dimensional Stability	\$ 100.00
ASTM F1861-08 Dim Stab Resilient Wall Base Specifications	\$ 100.00
ASTM F1861-08 Wall Base Staining	\$ 75.00
ASTM F1869 Simulated exposure	\$ 115.00
ASTM F1913 Vinyl Sheet Without backing	\$ 1,045.00
ASTM F1914-07 Short Term Indentation	\$ 100.00
ASTM F2055-09 Test Method for Size and Squareness of Resilient Floor Tile by Dial Gage Method	\$ 150.00
ASTM F2117 Vertical Rebound Characteristics	\$ 75.00
ASTM F2169 Standard Specification for Stair Treads	\$ 800.00
ASTM F2199-09 Dimensional Stability	\$ 75.00
ASTM F2421-05 Measuring Resilient Floor planks	\$ 150.00
ASTM F2569 Force Reduction	\$ 400.00
ASTM F2772 Standard specification for Athletic Performance	\$ 700.00
ASTM F355-10 Specification for Impact Attenuation	\$ 400.00
ASTM F36-09 Compression Set	\$ 35.00
ASTM F373-06 Embossed Depth of Resilient Floor Coverings	\$ 50.00
ASTM F386-08 Total Thickness of Resilient Floor	\$ 25.00
ASTM F387-08 Thickness of resilient flooring with foam	\$ 25.00
ASTM F410-02 Standard Test Method for Wear Layer Thickness	\$ 25.00
ASTM F511-04 Test Method for Quality of Cut	\$ 75.00
ASTM F536 Test Method of Size of Resilient Floor Tile by Dial Gage Method	\$ 150.00
ASTM F540 Test Method for Size and Squareness of Resilient Floor Tile	\$ 150.00
ASTM F793-10 Standard Classification of Wallcovering	Call For Quote
ASTM F924-09 Resistance to Puncture of Cushioned Resilient Floor Coverings	\$ 125.00
ASTM F925 Resistance to Chemicals (Kaiser)	\$ 200.00
ASTM F925-08 Chemical Resistance	\$ 200.00
ASTM F970-07 Static Load (over 750 psi)	\$ 125.00
ASTM F970-08a Static Load Limit	\$ 100.00
ASTM G21-09 Fungal Resistance	\$ 575.00
ASTM G21-09 Fungus Resistance (additional sample)	\$ 275.00
AT-129.04	\$ 25.00
AT-130.04	\$ 25.00
AT-141.06	\$ 35.00
ATSM D3273-05 Resistance to Growth of Mold	Call For Quote
Automatic home laundering 10 cycles	\$ 175.00
Automatic Home Laundering(3 cycles) with Dimensional Change	\$ 75.00
Backing Identification	\$ 10.00
Backing Thickness	\$ 25.00
Backing Weight	\$ 25.00
Basketball Rebound Test	\$ 75.00
Berlin Artificial Athlete (DIN 1803202)	\$ 400.00
Bioburden Testing	\$ 200.00
BMS 80286C Coefficient of Friction	Call For Quote
BMW AUTOMOTIVE3.2.4.2 Pile Yarn Thickness	\$ 25.00
BMW 3.2.10 Imprint Behavior Without Foam Impression Depth @ 60 Minutes and 24 hours (DIN 54316/EN20 105 A02)	\$ 75.00
BMW 3.2.10.2 Tested at 60 degrees C, Impression Depth at 60 minutes and 24 hours	\$ 75.00
BMW 3.2.10.3 Tested Wet after 50 Minute Soak, Impression Depth at 60 minutes and 24 hours	\$ 75.00
BMW 3.2.7 Number of Tufts	\$ 15.00
BMW 3.3.1 Abrasion Resistance with Loss of Weight and Change in Color (DIN 53 109 and EN 20 105 A02)	\$ 50.00

BMW 3.3.2 Colorfastness to Light (1 cycle Blue Wool \$40, 2 cycles Gray Scale \$80) (ISO 105 B06)	\$ 120.00
BMW 3.3.3 Colorfastness to Crocking (wet and dry) (ISO 105 X12)	\$ 20.00
BMW 3.3.4 Surface Resistance (DIN 345 T6)	\$ 100.00
BMW 3.3.5 Rotting Resistance (VDA 270)	\$ 75.00
BMW 3.3.6 Odor Test (VDA 270)	\$ 50.00
BMW 3.3.8 Accelerated Soiling after vacuuming and cleaning (PR121.2)	\$ 150.00
BMW 3.5.1 Total Thickness (ISO 1765)	\$ 30.00
BMW 3.5.2 Total Weight (ISO 8543)	\$ 30.00
BMW 3.5.3 Tensile Strength (ISO 13 934 T1)..3.5.4 Elongation	\$ 40.00
BMW 3.5.6 Dimensional Stability (ISO 13 934 T1)	\$ 100.00
BMW 6951 680.6 Dimensional Stability	\$ 100.00
BMW AUTOMOTIVE 3.2.4.3 Pile Weight	\$ 70.00
BMW Environmental BMW PR 303:4 (Additional Mats)	\$ 75.00
BMW Environmental BMW PR 303:4	\$ 200.00
BN 112-08 Cleanability	\$ 50.00
Bombardier SMP-800 C Toxic Gas Generation	\$ 800.00
British Spill Test	\$ 50.00
BS 4052 Dynamic Laundering	\$ 100.00
BS EN 425 Rollstool	\$ 250.00
BS EN 985 Caster Chair	\$ 250.00
BS EN 986	\$ 125.00
BS4790 Hot Metal Nut Test (Fully Adhered)	\$ 60.00
BS4790 Hot Metal Nut Test (Loose Laid)	\$ 50.00
BS6659 w/o	\$ 100.00
BS6659 w/under	\$ 100.00
BS7131	\$ 100.00
BSS 7239 Toxic Gas Analysis	Call For Quote
BSS 7310 Shrinkage	Call For Quote
BSS 7311 Static Test	Call For Quote
C & A Cleaning Chemical Evaluation	\$ 600.00
Calibration of Gauge Blocks	\$ 100.00
California 117, A, Part 1 Flammability (Upholstery)	Call For Quote
California 117, Sec. C Flammability (Upholstery)	Call For Quote
California 117, Sec. D Flammability (Upholstery)	Call For Quote
California 117, Sec. E, Part 1 Flammability (Upholstery)	Call For Quote
CAN/CGSB-4.2 No. 27.6-M91 Flame Resistance - Methenamine Tablet Test for Textile Floor Coverings	\$ 50.00
Carpet Cleaning Testing Program (Accelerated Resoiling)	\$ 500.00
Carpet Cleaning Testing Program (Cleaning Efficacy)	\$ 1,500.00
Carpet Cleaning Testing Program (Surface Appearance Change)	\$ 200.00
Carpet Spot & Stain Removal CRI Stains	\$ 250.00
Carpet Stiffness	\$ 25.00
CCC-W-408D Wall Covering	Call For Quote
CCTI Composite Tube Summary	\$ 150.00
CCTI T 108 Side to Side Crush	\$ 30.00
CCTI T 114End Supported Beam Strength	\$ 35.00
CFR FF 4-72	\$ 150.00
Chrysler MS JB 2000(ASTM D2261) Tearing Strength	\$ 35.00
Chrysler MS JB2000 (SAE J883) Shrinkage	\$ 50.00
Chrysler 463-11-01C Cold Cracking463LB-11-0C	\$ 35.00
Chrysler 463LB-11-01B	\$ 50.00
Chrysler 463LB-12-01 Humidity/Hot/Cold Cycling	\$ 100.00

Chrysler Breakstrength MS-JB 2000 (ASTM D5034)	\$ 35.00
Chrysler Cold Cracking 463LB-11-01C	\$ 35.00
Chrysler Heat Aging (463LB-13-01)	\$ 75.00
Chrysler Humidity/Hot/Cold Cycling 463LB-12-01	\$ 100.00
Chrysler LP 463KB-21-01 Resistance to Bearding & Fuzzing	\$ 75.00
Chrysler LP 463LB-10-01 Bond Strength Original, Heat Aged, After Cycling	\$ 150.00
Chrysler LP-463KB-22-01 Tuft Lock	\$ 35.00
Chrysler LP-463KB-34-01 Chrysler Antimicrobial Milk Test	\$ 75.00
Chrysler LP-463KB-37-02 Chrysler Stain Release Test	\$ 400.00
Chrysler LP-463KC-01-01B Resistance to Dye Transfer	\$ 25.00
Chrysler LP-463KC-019 Resistance to Soiling	\$ 50.00
Chrysler LP-463KC-03-01B Water Spotting	\$ 25.00
Chrysler LP-463KC-04-01-2A Staining	\$ 50.00
Chrysler LP-463KC-04-01-2B Grease Cleanability	\$ 25.00
Chrysler LP-463-KC-04-01A Cleanability and Soil Resistance	\$ 50.00
Chrysler LP-463KC-04-02 Chrysler Soiling Test 4.3.2 Method 2 Hexapod	\$ 150.00
Chrysler LP-463LB-12-01B Resistance to Humidity (Hot and Cold Cycles)	\$ 75.00
Chrysler LP-463LB-13-01 Resistance to Heat Aging	\$ 25.00
Chrysler LP-463PB Staining	\$ 200.00
Chrysler LP-46FB-37-03 Chrysler Repellency Test	\$ 175.00
Chrysler MS JAB 2000 (SAE J1351) Wet/Dry Odor	\$ 50.00
Chrysler MS JB2000 MS-JP-1-3 Salt Solution	\$ 25.00
Chrysler Pliability 463LB-11-01B	\$ 50.00
Chrysler SAE J1530 MSS JB2000 Resistance to Bearding	\$ 45.00
Chrysler463LB-13-01 Heat Aging	\$ 75.00
Cleaning Efficacy	\$ 500.00
Cleaning Efficacy - In Tank	\$ 600.00
Cleaning Efficacy (Cleaning Technology Assessment)	\$ 600.00
Coefficient of Friction D 1894	\$ 120.00
Color Match Comparison w/Spectrophotometer ratings	\$ 125.00
Colorfastness assessment of carpet cleaning chemicals	\$ 50.00
Colorfastness British Spill Hexapod	\$ 100.00
Colorfastness to Acid/Alkali	\$ 40.00
Colorfastness to Ozone (load up fee - up to 30 samples, No ratings)	\$ 200.00
Colorfastness to Solvent	\$ 35.00
Colorfastness to Steam	\$ 35.00
Colorfastness to Wet Cleaning	\$ 35.00
Colorfastness: Additional Ratings	\$ 10.00
Compression & Recovery	\$ 45.00
Compression ASTM D395 Standard Method for Rubber Property Com	\$ 50.00
Compression Deflection Comparison	\$ 40.00
Compression Set (ISO 813, ASTM D395)	\$ 50.00
Construction Pick Count	\$ 25.00
Consultation in Field (\$2250/person/day+expenses)	\$ 2,250.00
Consultation In Laboratory (\$300/person/hour)	\$ 300.00
ContractWalk:PivotPoint	\$ 150.00
CoreWeight	\$ 17.50
CPAI-84 Flammability of Tent Fabric	Call For Quote
CPCS Lead Analysis	\$ 100.00
CPI Test Crystal Perfection Index	\$ 500.00
CPSC FF-170 Surface Flammability	\$ 35.00

CPSC FF-170 Surface Flammability with part 1630.62, paragraph (d) 'Alternative Washing Procedure'	\$ 135.00
CPSC Wipe Test: Lead	\$ 125.00
CRI In Tank Chemical Testing	\$ 1,200.00
CRI Pre Spray Chemical Testing Battery	\$ 1,200.00
CRI Pres Spray Soil Removal	\$ 600.00
CRI Spot & Stain Protocol	\$ 800.00
CRI XRF Vacuum Emissions	\$ 650.00
CRI XRF Vacuum Testing	\$ 1,350.00
DeciTex	\$ 20.00
Deep Cleaning Systems Evaluation	\$ 2,150.00
Density	\$ 10.00
Density (ISO 1183, Method A/ASTM D297)	\$ 100.00
Deposition (\$300 per hour)	\$ 300.00
Determining residual moisture as a result of deep cleaning	\$ 100.00
Determining Resoiling propensity of a cleaned carpet	\$ 500.00
Determining the pH of carpet cleaning chemicals	\$ 25.00
Determining the presence of optical brighteners in carpet cleaning chemicals.	\$ 25.00
Dimensional Stability (Unrecovered Extension)	\$ 65.00
Din 53 121 Bending Stiffness	\$ 75.00
DIN 53-109 Abrasion Resistance w/measurement and color change	\$ 50.00
DIN 53377 Dimensional Stability	\$ 50.00
DIN 53855-3 Total Thickness	\$ 25.00
DIN 53855-3 Total Thickness Including Filament Tie Up	\$ 25.00
DIN 54316 Imprinting Behavior/Visibility of Impression	\$ 45.00
DIN 54318 Dimensional Stability	\$ 100.00
DIN 54324 Rollstool	\$ 275.00
DIN 54325 Pile Layer Weight/Face Weight	\$ 70.00
DIN 54325 Pile Yarn Thickness	\$ 25.00
DIN 54345 TI Surface Resistance	\$ 120.00
DIN 75-202 Colorfastness to Light	\$ 35.00
DIN EN 12127 Total Weight Including Filament Tie Up	\$ 70.00
DIN EN 12127 Total Weight/Unit (Including all layers)	\$ 15.00
DIN EN 150 105-B06 Colorfastness to Light	\$ 400.00
DIN EN 20105-A02 Change in color before Aging According to Gray Scale	\$ 10.00
DIN EN 20105-A02/PR 121.1 Dirt Sensitivity/Visual Assessment	\$ 75.00
DIN EN 29073-1 Primary Backing Fleece	\$ 30.00
DIN EN 29073-1 Weight/Unit Area	\$ 50.00
DIN EN 388 Puncture Resistance	\$ 200.00
DIN EN 53855-3 Total Thickness Including All Layers	\$ 25.00
DIN EN ISO 105X12	\$ 25.00
DIN EN ISO 13 934-1 Breaking Force	\$ 50.00
DIN EN12127 Total Weight per Unit	\$ 15.00
DIN EN29073 Weight per Unit Area	\$ 25.00
DIN EN53855-3 Total Thickness including All layers	\$ 25.00
Dirt Penetration	\$ 35.00
DOD-I-24688 Room Fire Test, Quarter Scale	Call For Quote
DuPont Spot Bleed Test	\$ 30.00
Dye Method	\$ 40.00
Dynamic Crush	\$ 45.00
Edge Ravel	\$ 25.00
Electrical Resistance - IBM	\$ 75.00

Electrical Resistance- Burroughs	\$ 75.00
Electrical Resistance-Burroughs	\$ 75.00
Electrical Resistivity (IBM/BURROUGHS) ASTM F150 NFPA 99	\$ 120.00
EN 29073 DIN 29073 Weight per Unit Area	\$ 25.00
EN 438-18 Resistance to Cigarette Burns	\$ 100.00
EN 669 Dimensional Stability	\$ 60.00
EN12127 Total Weight per unit	\$ 15.00
EN13329	\$ 35.00
ESD 97.1 Floor Materials and Footwear Resistance Measure	\$ 120.00
ESD 97.2 Floor Materials and Footwear Voltage Measurement	\$ 120.00
ESD -S7.1 Resistive Characterization of Materials	\$ 175.00
ESD S7.1 Resistivity	\$ 175.00
ESD-S7.1 Resistive Characterization of Materials	\$ 175.00
Evaluating Appearance Restoration as a result of deep cleaning per spectrophotometer and AATCC Gray Scale	\$ 50.00
Evaluating Cleaning Effectiveness of Carpet Cleaning Processes using XRF techniques	\$ 1,200.00
Evaluating surface appearance change due to repeated cleanings	\$ 200.00
Evaluation of Spot & stain Removal Chemicals	\$ 1,000.00
FAA (FAR 25.793) Coefficient of Friction	Call For Quote
FAA (FAR 25.853) Horizontal Flammability	\$ 50.00
FAA (FAR 25.853) Vertical Flammability	\$ 75.00
FAA-45	\$ 75.00
Federal Test Method 3231 501A Residual Indention	\$ 75.00
FF 1-70 Pill Test-16 CFR part 1630 Surface Flammability of Carpets & Rugs	\$ 35.00
FHA Certification (Cut Pile)	\$ 90.00
FHA Certification (Loop Pile)	\$ 100.00
FHA Certification (Multi-Level)	\$ 120.00
FHA-1A	\$ 90.00
FHA-3A	\$ 120.00
FHA-4	\$ 225.00
FHA-FIELD	\$ 50.00
Fiber Cross Section	\$ 25.00
Fiber Cross Section w/Photo	\$ 50.00
Fiber Denier	\$ 25.00
Fiber Identification- Chemical Solubility	\$ 25.00
Filament Count	\$ 30.00
Filament Count	\$ 30.00
Flashpoint	\$ 40.00
FLTM BN 113-01 Cycled Bond Strength	\$ 75.00
FLTM BN 113-01 Original Bond Strength	\$ 25.00
FLTM BN 113-01 Steamed Bond Strength	\$ 35.00
FLTM BN 113-01 Wet Bond Strength	\$ 35.00
FLTM BO 131-01/SAE J1351 Odor Assessment	\$ 50.00
FLTM BP 101-01, Procedure A Ozone Resistance	\$ 200.00
FLTMBN108	\$ 35.00
FMVSS 302 Automotive Flammability	\$ 50.00
FMVSS302 Automotive Flammability (Single Burn)	\$ 12.50
Fogging Characteristics DIN 75201A	\$ 400.00
FTIR Analysis for Fiber ID	\$ 100.00
FTM 101B Method 4046 Static Decay	\$ 175.00
FTM 501A Method	\$ 30.00
Gauge	\$ 10.00

GCMS Gas Chromatographic Mass Spectrometer Base Scan	Call For Quote
G-Force Test (On /Off Durability)	\$ 1,100.00
GM 7457 Automotive Battery	\$ 960.00
GM 3028 Abrasion Resistance (3 samples)	\$ 135.00
GM 9070P Flammability (As Received)	\$ 50.00
GM 9070P Flammability with Aging	\$ 75.00
GM 9126P Cleanability	\$ 50.00
GM 91433P Resistance to Water Spotting and Salt Staining	\$ 25.00
GM 9771P Fiber Degradation	\$ 40.00
GM Physical Certification Battery	\$ 800.00
GM2715M Abrasion resistance (<5,000 cycles w/ weight lo	\$ 45.00
GMW 3026 3.2.7 Loop Pile Pullout 5d	\$ 25.00
GMW 3026 3.2.8 Abrasion Resistance 5d	\$ 50.00
GMW 3026 3.3.6 Water Spotting/Colorfastness to Water 8d	\$ 25.00
GMW 14124 Cycle M Environmental Shrinkage	\$ 100.00
GMW 3026 3.2.1 Weight 3d	\$ 70.00
GMW 3026 3.2.11 Mildew 15d	\$ 100.00
GMW 3026 3.2.4 Breaking Load 5d	\$ 35.00
GMW 3026 3.2.10 Odor 8d	\$ 50.00
GMW 3026 3.2.12 Fogging 10d	\$ 400.00
GMW 3026 3.2.13 Flammability-As Received and after Aging 13d	\$ 125.00
GMW 3026 3.2.14 Dimensional Stability 8d	\$ 100.00
GMW 3026 3.2.2 Pile Height 3d	\$ 25.00
GMW 3026 3.2.3 Thickness 3d	\$ 25.00
GMW 3026 3.2.5 Trouser Tear Strength	\$ 35.00
GMW 3026 3.2.6 Resistance to Cracking from Bending at Cols Temp.	\$ 100.00
GMW 3026 3.2.9 Stability of Materials against Mechanical Load 5d	\$ 100.00
GMW 3026 3.3.1 Colorfastness to Artificial Light 24d (up to 5 colors)	\$ 400.00
GMW 3026 3.3.3 Fiber Degradation 15d	\$ 50.00
GMW 3026 3.3.4 Dye Migration 8d	\$ 50.00
GMW 3026 3.3.5 Color Crock 5d	\$ 20.00
GMW 3026 3.3.7 Cleanability and Soil Resistance 10d	\$ 150.00
GMW 3026 Automotive Battery	\$ 1,935.00
GMW 3026 Colorfastness to Light 3.3	\$ 250.00
GMW 3232 Flammability with Aging	\$ 300.00
GMW 8081 Static Head space GCMS for Interior Materials	\$ 600.00
GMW3232 Automotive Flammability (Individual Burns)	\$ 12.50
Golf Spike 100,000 Cycles	\$ 125.00
Golf Spike Resistance (25,000 cycles)	\$ 75.00
Grommet Strength	\$ 25.00
GSA AATCC 134 Electrostatic Propensity (w/wash)	\$ 125.00
GSA FOAM Battery	\$ 100.00
Gurney Roll Resistance	\$ 150.00
Hardness Change oil exposed	\$ 25.00
Hardness, Durameter A (ISO 868, ASTM D2240)	\$ 25.00
Heat Aged (ISO 188/ASTM D573, 150± 50 air changes/h. 168 h at 70± 2 C)	\$ 100.00
Heat Aged(ISO 188/ASTM D573, 150± 50 air changes/h. 1000 h at 70± 2 C)	\$ 630.00
Heat Aging	\$ 15.00
Heat Resistance	\$ 100.00
HES 6506 5.11.2 Crocking	\$ 25.00
HES C210-00 4.16 Odor Property	\$ 100.00

HES D6003-99 Flammability (100 hours at 80 C)	\$ 125.00
HES D6003-99 Flammability (50 hours at 80 C)	\$ 125.00
HES D6003-99 Flammability (No Aging)	\$ 125.00
HES D6003-99 Flammability (Preconditioning Aging)	\$ 50.00
HES D6057-00 4.17 Wet Heat Aging	\$ 100.00
HES D6057-00 4.18 Heat Resistance	\$ 50.00
HES D6506 5.8 Flexibility	\$ 95.00
HES D6506 Tuft Bind	\$ 35.00
HES D6506-00 5.11.1 Colorfastness to Washing	\$ 50.00
HES D6507 5.11.1 Colorfastness to Washing	\$ 50.00
HES D6507 Abrasion	\$ 65.00
HES D6507 Resistance to Light (1-10 Samples)	\$ 500.00
HES D6507 Resistance to Light (1-10 Samples)	\$ 500.00
HES D6507-00 4.18 Heat Resistance	\$ 50.00
HES D6508 Honda Haze Fogging Test	\$ 400.00
HES D6601 Colorfastness to Light (1 - 10 samples)	\$ 400.00
HES Peeling	\$ 35.00
HES Water Resistance	\$ 50.00
Hexapod Feet 8 sets of replacement hexapod polyurethane studs	\$ 235.00
Honda Breaking Strength	\$ 45.00
Honda Peel Strength	\$ 50.00
Honda Procedure Delamination	\$ 50.00
Honda Shoe Wear Resistance Test	\$ 150.00
Honda SW6 Pile Draw Out Strength	\$ 35.00
Honeywell Red Fade Test	\$ 25.00
HUD/FHA UM72a Carpet Cushion Certification	\$ 100.00
Hyundai Colorfastness to Light (1-10 Samples)	\$ 400.00
ICP Scans	\$ 250.00
IMO Part 5 Prescreen	\$ 2,000.00
Impact Puncture	\$ 50.00
ISO 105 B02 Lightfastness	\$ 50.00
ISO 2094 Thickness Loss Under Dynamic Loading	\$ 75.00
Iso 2493: 1992 Paper & Board-Determination of Resistance	\$ 50.00
ISO 2551 Dimensional Stability	\$ 75.00
ISO 3416 Test Method for Static Load Limit	\$ 100.00
ISO 811	\$ 330.00
ISO 911 - add	\$ 100.00
ISO TR 10361 Method A & B: Production of changes in appearance by means of Vettermann Drum and Hexapod Tumbler Tester	\$ 200.00
ISO TR 4918 Castor Chair Test (20,000 cycles)	\$ 250.00
ISO-R527	\$ 35.00
ISOTR9405	\$ 100.00
Jaguar:AN101-01Bleed	\$ 25.00
Jaguar:FLTMBN-105-01	\$ 75.00
Jaguar:FLTMBN-105-03	\$ 65.00
Jaguar:FLTMBN-105Wt	\$ 30.00
Jaguar:FLTMBN-106-01	\$ 15.00
Jaguar:FLTMBN107-01	\$ 30.00
Jaguar:FLTMBN-112-08	\$ 75.00
Jaguar:ISO 105-A02	\$ 75.00
Jaguar:JNS30.21.07Dr	\$ 100.00
Jaguar:JNS30.21.07Wt	\$ 75.00

JCP-PP06-0902 Coefficient of Friction of Skid Resistant Materials	\$ 75.00
Joint Strength Test IRB Rule 22	\$ 45.00
Jute Count	\$ 20.00
Jute Count	\$ 20.00
Kirby-Bauer Susceptibility Test	\$ 200.00
Latex Solids	\$ 20.00
Latex Weight	\$ 85.00
Lexus 7.1 Mass	\$ 70.00
Lexus 7.10 Flammability (as received and after aging)	\$ 120.00
Lexus 7.12 Odor Analysis (wet and dry)	\$ 50.00
Lexus 7.13 Crocking Method A & B	\$ 30.00
Lexus 7.16 Colorfastness to Light and Light Aging	\$ 450.00
Lexus 7.2 Thickness	\$ 30.00
Lexus 7.3 Tensile Strength (Warp & Weft)	\$ 70.00
Lexus 7.4 Tear Strength (Warp Weft)	\$ 70.00
Lexus 7.5.1 & 7.5.2 Abrasion Stringiness and Tear and Loss	\$ 90.00
Lexus 7.6 Heat Shrinkage	\$ 35.00
Lexus 7.7 Rigidity	\$ 55.00
Lexus 7.8 Tensile Strength After Heating (Warp & Weft)	\$ 55.00
Lexus 7.9 Change in Length between gages (warp & weft)	\$ 45.00
LF 475a: Dimensional Stability	\$ 50.00
Lightfastness	\$ 50.00
Lightfastness:AATCC110	\$ 35.00
Low Temperature Resistance	\$ 100.00
M0135 1-11-2 (1 - 10 samples)Colorfastness to Light/Nissan Method	\$ 400.00
Mat Movement	\$ 200.00
MES MN 405 Section 7.7 Constant Load Elongation	\$ 50.00
MES MN 405 7.12 Pile Draw Out Strength	\$ 35.00
MES MN 405 7.15 Pilling & Fuzzing	\$ 50.00
MES MN 405 7.21 Colorfastness to Rubbing	\$ 15.00
MES MN 405 7.22 Colorfastness to Wash	\$ 50.00
MES MN 405 7.23.1 Method A-B Colorfastness to Light (1 - 10 samples at 14.1 mj)	\$ 400.00
MES MN 405 7.23.1 Method A-B Colorfastness to Light (1 - 10 samples)	\$ 500.00
MES MN 405 7.25 Colorfastness to Heat	\$ 150.00
MES MN 405 7.29 Heat Aging of Backing Material	\$ 60.00
MES MN 405 7.30 Loss of Heating	\$ 50.00
MES MN 405 7.31 Stickiness	\$ 60.00
MES MN 405 7.38 Mildew	\$ 50.00
MES MN 405 7.5.1 Tensile & Elongation (Strip Method)	\$ 50.00
MES MN 405 7.6.1 Tear Strength Method A	\$ 45.00
MES MN 405 Abrasion Resistance Method B-a	\$ 45.00
MIL STD-1180	\$ 50.00
Mil Thickness	\$ 20.00
MIL-C-44296A Bond Strength Procedure 4.3.1.1	\$ 45.00
MIL-DTL-44048H ASTM D5034 Button Pull	\$ 35.00
MIL-W-5044C Coefficient of Friction	Call For Quote
Mitsubishi EX 60410 Flammability	\$ 120.00
MOBIS Battery of Tests	\$ 895.00
Moisture Resistance Test AT-219.04	\$ 50.00
MS 210-05 4.3 Heat Cycle Resistance	\$ 100.00
MS 210-05 Fading Resistance Test	\$ 400.00

MS 300-08 Flammability 10 burns (aged)	\$ 125.00
MS 300-08 Flammability 10 burns (as received)	\$ 125.00
MS 300-08 Flammability Aging	\$ 50.00
MS 300-34 Odor Evaluation	\$ 200.00
MS 300-35 Section 4.7 Tuft Lock	\$ 35.00
MS 300-35 Section 4.9 Tabor Resistance	\$ 55.00
Mullen Bursting Strength-Variou Methods	Call For Quote
NALFA 3.1 Static Load	\$ 150.00
NALFA 3.10 Surface Bonding	\$ 100.00
NALFA 3.2 Thickness swell	\$ 35.00
NALFA 3.3 Compression Resistance	\$ 50.00
NALFA 3.3 Light resistance	\$ 35.00
NALFA 3.4 Cleanability	\$ 150.00
NALFA 3.5 Large Ball Impact	\$ 45.00
NALFA 3.6 Small Ball Impact	\$ 45.00
NALFA 3.7 Wear Resistance Taber	\$ 100.00
NALFA 3.8 Dimensional Tolerances	\$ 75.00
NALFA 3.9 Castor Chair	\$ 250.00
NALFA Radiant Heat Resistance (NEMA LD 3 3.10)	\$ 600.00
NALFA UL 3.3 Compression Resistance	\$ 50.00
NEMA LD3 Colorfastness to Light (Xenon Arc) 72 AFU	\$ 20.00
NEMA WC 3, Section 6.19.6 Flame Test	Call For Quote
NES 7105.11 Cold Resistance	\$ 50.00
NES M0076 Colorfastness to Rubbing	\$ 10.00
NES M0076 Colorfastness to Water	\$ 35.00
NES M0076 Electrostatic Characteristics Section 18	\$ 100.00
NES M0076 Tear Strength	\$ 60.00
NES M0076 Tensile Strength	\$ 60.00
NES M0076 Yellowing by Nitrogen Oxides Section 17B	\$ 100.00
NES M0076.12 Breaking Strength and Elongation	\$ 35.00
NES M0076.14 Tuft Bind	\$ 25.00
NES M0076.16 Abrasion Resistance	\$ 35.00
NES M0076.21 Resistance to Light (1-10 Samples)	\$ 400.00
NES M0076.21 Resistance To Light Additional Sample	\$ 25.00
NES M0076.25 Thermal Cycle Test	\$ 125.00
NES M0076.27 High Temperature Heat Resistance	\$ 100.00
NES M0076.32 Water Repellence	\$ 35.00
NES M0076.34 Odor Test	\$ 50.00
NES M0133 Method 2 Chemical Resistance (\$12/chemical)	\$ 12.00
NES M0135 Resistance to Light (1-10 Samples)	\$ 400.00
NES M0135 Resistance to Light at 25 mJ (Additional Samples)	\$ 32.75
NES M7105 Chemical Resistance	\$ 250.00
NFPA 260 Upholstery Fabrics	Call For Quote
NFPA 701, Test 1 Standard tests for Flame Resistance	Call For Quote
NFPA 701, Test 2 Standard tests for Flame Resistance	Call For Quote
NFPA 99 Electrical Resistance-Healthcare	Call For Quote
Odor Analysis	\$ 50.00
Odor Analysis GME 60-276	\$ 50.00
Odor Evaluation: Cat Urine	\$ 50.00
Odor Evaluation: Dog Urine	\$ 50.00
Optical Brightener - In Tank	\$ 25.00

Optical Brighteners	\$ 25.00
Oven Aging Resistance	\$ 75.00
Percent Latex Bundle Wrap & Penetration	\$ 25.00
pH	\$ 25.00
pH - In Tank	\$ 25.00
Phillips Roll Chair (10,000 cycles)	\$ 200.00
Phillips Roll Chair (20,000 cycles)	\$ 250.00
Phillips Roll Chair (25,000 cycles)	\$ 275.00
Phillips Roll Chair (5,000 cycles)	\$ 100.00
Phillips Roll Chair (50,000 cycles)	\$ 400.00
Phillips Roll Chair 100K	\$ 650.00
Phillips Roll Chair 200K	\$ 1,150.00
Phillips Roll Chair 30K	\$ 250.00
Phillips Roll Chair 35K	\$ 325.00
Pile Ends per unit area	\$ 10.00
Pile Yarn Assessment (Total Weight, Pile Yarn Weight, Jute Yarn Weight, Poly Weft Yarn, Pick Rate, Pile Height)	\$ 200.00
Pilling & Fuzzing Resistance	\$ 40.00
Pitch	\$ 10.00
Planar Measurements After Varied Conditions	\$ 75.00
Plasticizer Analysis	\$ 650.00
PPS 2004 Heat Resistance	\$ 65.00
PPS 1001 Corrosion Resistance	\$ 225.00
PPS 2014 Weathering (1-5 Samples)	\$ 400.00
pps 6006 Method A Forward and Reverse Drag Test Method	\$ 250.00
PR 380 2.2.5 Adhesion Force	\$ 75.00
Proposed XRF Extractor Program (Soil Removal, Residual Moisture, Appearance Change)	\$ 1,500.00
Puck Test	\$ 35.00
Puncture Resistance	\$ 100.00
Puppy Pad Analysis	\$ 215.00
Reflectance Values (xyz) of Textiles	\$ 100.00
ResA.653(16)	\$ 1,900.00
Resistance to Bleach	\$ 35.00
Resistance to Salt Staining	\$ 25.00
Resistance to Staining - Blood	\$ 25.00
Resistance to Staining - Commercial	\$ 125.00
Resistance to Staining - Residential	\$ 100.00
Resistance to Staining Solvent	\$ 100.00
Resistance to Staining-Coffee	\$ 25.00
Resistance to Staining-Urine	\$ 25.00
Resistance to Staining-Water	\$ 100.00
Resoiling	\$ 200.00
Resoiling - In Tank	\$ 500.00
Resoiling Characteristics	\$ 600.00
Repairable Particulate Testing	\$ 1,200.00
Roll Resistance - Roller Blades	\$ 100.00
Rows	\$ 10.00
Rubber Wiper Test	\$ 25.00
Rug Size	\$ 10.00
SAAB TESTING: SAAB UV Aging	\$ 1,000.00
SAAB TESTING: SAAB 1060	\$ 50.00
SAAB TESTING: SAAB 1078	\$ 50.00

SAAB TESTING: SAAB 211-1	\$ 35.00
SAAB TESTING: SAAB 211-2	\$ 35.00
SAAB TESTING: SAAB 232	\$ 35.00
SAAB TESTING: SAAB 3159	\$ 350.00
SAAB TESTING: SAAB 3965	\$ 150.00
SAAB TESTING: SAAB 3967	\$ 175.00
SAAB TESTING: SAAB 418	\$ 105.00
SAAB TESTING: SaabMoisAg	\$ 350.00
SAAB TESTING:SAAB1075	\$ 40.00
SAAB TESTING:SAAB1076	\$ 25.00
SAAB TESTING:SAAB1077	\$ 10.00
SAAB TESTING:SAAB1080	\$ 40.00
SAAB TESTING:SAAB205	\$ 30.00
SAAB TESTING:SAAB220	\$ 15.00
SAAB TESTING:SAAB222	\$ 30.00
SAAB TESTING:SAAB3770-HA	\$ 125.00
SAAB TESTING:SAAB3770-HR	\$ 25.00
SAAB TESTING:SAAB3770-M	\$ 150.00
SAE J1351 Odor Analysis	\$ 50.00
SAE J1530 Resistance to Bearding and Fuzzing	\$ 45.00
SAE J1530 Wear Resistance	\$ 35.00
SAE J1861	\$ 10.00
SAE J1885 Colorfastness to Light (1-5 samples)	\$ 350.00
SAE J1885(add)	\$ 35.00
SAE J1960 Colorfastness to Light (1140 kj)	\$ 1,750.00
SAE J200 Tear Strength	\$ 70.00
SAE J2212 Colorfastness to Light (1-5 Samples)	\$ 500.00
SAE J323	\$ 175.00
SAE J369 Flammability	\$ 50.00
SAE J369 Flammability (As Received)	\$ 50.00
SAE J369 Flammability (Steam Aging)	\$ 75.00
SAE J681 Colorfastness to Rubbing	\$ 25.00
SAE J883 Dimensional Stability	\$ 50.00
SAEJ860	\$ 25.00
SAEJ861	\$ 25.00
Scuff Resistance by Sim Floor and Cleanability	\$ 175.00
Seam Sealer Breaking Load	\$ 25.00
Secondary Backing Weight	\$ 15.00
Serge/Inch	\$ 15.00
Sheared Weight/Effective weight	\$ 25.00
Sheer Test	\$ 35.00
Shrinkage Test per DDD-C-0095A	\$ 30.00
Side Match Comparison via Spectrophotometer and Visual	\$ 50.00
SimFloorEffic	\$ 50.00
SimFlr-12K	\$ 75.00
SimFlr-24K	\$ 100.00
SimFlr-3K	\$ 30.00
SimFlr-6K	\$ 65.00
Smoke Density (Flaming & Non-Flaming) 4 minute reports	\$ 20.00
Soil Removal - In Tank (per Spectrophotometer/AATCC Gray Scale)	\$ 600.00
Soil Removal Geometric Mean	\$ 900.00

Specific Gravity ASTM D792	\$ 35.00
Spectrophotometer Readings	\$ 25.00
Stained Carpet Panels	\$ 100.00
Staining Analysis (Dog & Cat Feces and Urine)	\$ 600.00
Staining Analysis (Dog & Cat Feces)	\$ 600.00
Staining Coffee Cola Tea	\$ 50.00
Staining- Stain Resistance	\$ 10.00
Chemistries and Technology	\$ 2,300.00
Central Vacuum Systems	\$ 1,200.00
Standard Laboratory Practice for Surface Appearance Change	\$ 200.00
Vacuum Cleaners	\$ 600.00
Static Decay Test Method 4046 Federal Standard 101B	\$ 175.00
Static Electrical Resistivity (IBM/BURROUGHS)	\$ 120.00
Static-step AATCC 134 Electrostatic Propensity (Step Test)	\$ 75.00
Stitch Rate	\$ 10.00
Tetrapod Walker (500,000 cycles)	\$ 150.00
Tetrapod100K	\$ 50.00
Tetrapod25K	\$ 25.00
Tetrapod300K	\$ 100.00
Tetrapod50K	\$ 35.00
Tetrapod5K	\$ 35.00
Total Height	\$ 10.00
Total Mat Weight	\$ 40.00
Total Thickness	\$ 10.00
Total Weight	\$ 25.00
Toyota Procedure Abrasion Resistance of Textile Fabrics Method 4.6	\$ 45.00
Toyota Procedure Abrasion Resistance of Textile Fabrics Method 4.6	\$ 45.00
Toyota Procedure Aging by Moisture and Heating 4.8	\$ 65.00
Toyota Procedure Automotive Flammability	\$ 50.00
Toyota Procedure Cold Flexibility 4.11	\$ 35.00
Toyota Procedure Colorfastness to Light 4.7.2	\$ 25.00
Toyota Procedure Colorfastness to Rubbing 4.7.1	\$ 15.00
Toyota Procedure Compression & Recovery 4.1	\$ 50.00
Toyota Procedure Odor Evaluation 4.10	\$ 50.00
Toyota Procedure Pile Weight	\$ 70.00
Toyota Procedure PPS 1012 Odor Evaluation	\$ 50.00
Toyota Procedure PPS 2023 Resistance to Staining	\$ 150.00
Toyota Procedure PPS 4012 Taber Resistance (<5,000 cycles)	\$ 45.00
Toyota Procedure PPS 4014 Taber Abrasion	\$ 45.00
Toyota Procedure PPS 4015 Colorfastness to Crocking	\$ 15.00
Toyota Procedure PPS 4015 Colorfastness to Crocking	\$ 15.00
Toyota Procedure PPS 4015 Colorfastness to Laundering	\$ 35.00
Toyota Procedure PPS 4015 Colorfastness to Water	\$ 35.00
Toyota Procedure PPS 4015 Laundering	\$ 35.00
Toyota Procedure PPS 4015 Lightfastness	\$ 40.00
Toyota Procedure PPS 4015(B) Colorfastness to Water	\$ 35.00
Toyota Procedure PPS 5001 Tensile Strength & Elongation	\$ 35.00
Toyota Procedure PPS 5001 Tensile Strength & Elongation Aging/Conditioning	\$ 35.00
Toyota Procedure PPS 5003 Tear Strength	\$ 35.00
Toyota Procedure PPS 5006 Tuft Lock	\$ 35.00
Toyota Procedure PPS 5010 Flammability	\$ 50.00

Toyota Procedure PPS 5011 Floor Mat Bend Test	\$ 100.00
Toyota Procedure PPS 5017 Water Penetration	\$ 100.00
Toyota Procedure PPS 5018 Adhesion to Flexible Substrate	\$ 35.00
Toyota Procedure PPS 6006 Forward & Reverse Drag Test Method B	\$ 150.00
Toyota Procedure PPS 6006 Method A: Rotation Drag Test	\$ 150.00
Toyota Procedure Shrinkage Test 4.9	\$ 50.00
Toyota Procedure Tearing Strength 4.4	\$ 35.00
Toyota Procedure Tensile Strength 4.2	\$ 35.00
Toyota Procedure Tensile Strength 4.3 (wet)	\$ 35.00
Toyota Procedure Tuft Bind of Pile Floor Coverings 4.5.1	\$ 35.00
Toyota Procedure Tuft Bind of Pile Floor Coverings 4.5.2 (wet)	\$ 35.00
Toyota Procedure Tuft Bind Of Pile Floor Coverings 4.5.3 (wet and dried)	\$ 35.00
Toyota Procedure Yellow Discoloration 4.13	\$ 50.00
Toyota TSL3600G-1 Carpet Materials Battery	\$ 810.00
Trapezoid Tearing Strength	\$ 35.00
TSL 3600G Toyota Section 7.15 (A) and (B) Colorfastness to Light	\$ 400.00
Tuft Height	\$ 15.00
Tuft Length	\$ 10.00
Tufts per Square Inch	\$ 10.00
Twist Level Estimate	\$ 50.00
Twist Level Estimate	\$ 50.00
UFAC Upholstery Fabric Testing	Call For Quote
UL 94 Flammability Methods	Call For Quote
Vacuum Cleaner Testing Program (Complete Battery per CRI Green Label Vacuum Cleaner Indoor Air Quality Protocol)	\$ 2,000.00
Vacuum Cord Abrasion Testing	\$ 200.00
Vacuum Durability	\$ 500.00
Vacuum Efficacy using XRF	\$ 900.00
Vacuum Efficiency (per substrate)	\$ 300.00
Vacuum Efficiency Removal/Emissions Analysis/Appearance Change (CRI)	\$ 1,350.00
Vacuum Emissions	\$ 1,012.50
Vacuum Emissions (Single Test)	\$ 667.00
Vacuum Fuzzing test	\$ 100.00
VDA 270 C3 Odor Testing	\$ 50.00
VDA 270 Rotting Resistance	\$ 30.00
Velcro Roller Test	\$ 25.00
Veneer Thickness by Microscopy	\$ 25.00
Vettermann Drum (12,000 cycles)	\$ 75.00
Vettermann Drum (12,000 cycles)	\$ 75.00
Vettermann Drum (22,000 cycles)	\$ 100.00
Vettermann Drum (22,000 cycles)	\$ 100.00
Vettermann Drum (44,000 cycles)	\$ 200.00
Vettermann Drum (44,000 cycles)	\$ 200.00
Vettermann Drum (5,000 cycles)	\$ 50.00
Vettermann Drum (5,000 cycles)	\$ 50.00
Vettermann Drum Additional Ratings	\$ 10.00
Vettermann Drum Additional Ratings	\$ 10.00
Volvo STD1026	\$ 50.00
Water Penetration by Impact (1,000 cycles)	\$ 48.00
Water Penetration by Impact (20,000 cycles)	\$ 428.00
Water Retention	\$ 25.00
Wheel Chair Resistance to rolling load	\$ 75.00

XRF Technology Carpet Template	\$ 25.00
XRF Extractor Program: Appearance Change	\$ 200.00
XRF Extractor Program: Residual Moisture	\$ 100.00
XRF Extractor Program: Soil Removal	\$ 1,200.00
XRF Participation Fee	\$ 1,875.00
XRF Scans- Determination of Metals	\$ 50.00
XRF Soiled Residential Cut Pile Samples	\$ 50.00
XRF Soiled Residential Loop Pile Samples	\$ 50.00
XRF Soiled Residential Samples	\$ 100.00
XRF Technology Geometric Mean	\$ 900.00
XRF Technology:TiO2	\$ 100.00
XRF Vacuum Program	\$ 1,900.00
XRF Vacuum Testing - Appearance Change	\$ 100.00
Yarn Ply	\$ 10.00
Yarn Shrinkage (Single Strand Method)	\$ 40.00
Yarn Shrinkage (single strand method)	\$ 40.00
Yarn Testing Yarn Ply	\$ 10.00